



FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.136USU1	Application Number: 10/759,731
	Applicant: BOND	
	Filing Date: 01/16/2004	Group Art Unit: 1632

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
G	5,223,409	06/29/1993	Ladner et al.			
	5,403,484	04/04/1995	Ladner et al.			
	5,427,908	06/27/1995	Dower et al.			
	5,432,018	07/11/1995	Dower et al.			
	5,498,530	03/12/1996	Schatz et al.			
	5,534,615	07/09/1996	Baker et al.			
	5,580,717	12/03/1996	Dower et al.			
	5,580,723	12/03/1996	Wells et al.			
	5,591,828	01/17/1997	Bosslet et al.			
	5,658,727	08/18/1997	Barbas et al.			
	5,667,780	09/16/1997	Ho et al.			
	5,667,988	09/16/1997	Barbas et al.			
	5,702,892	12/30/1997	Mulligan-Kehoe			
	5,723,286	03/03/1998	Dower et al.			
	5,723,323	03/03/1998	Kauffman et al.			
	5,733,743	03/31/1998	Johnson et al.			
	5,750,373	05/12/1998	Garrard et al.			
	5,759,817	06/02/1998	Barbas			
	5,763,192	06/09/1998	Kauffman et al.			
	5,770,434	06/23/1998	Huse			
	5,821,337	10/13/1998	Carter et al.			
	5,834,250	11/10/1998	Wells et al.			
	5,837,242	11/17/1998	Holliger et al.			
	5,969,108	10/19/1999	McCafferty et al.			
	6,054,297	04/25/2000	Carter et al.			
	6,172,197	01/09/2001	McCafferty et al.			

EXAMINER 	DATE CONSIDERED 11/27/06
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.136USU1	Application Number: 10/759,731
	Applicant: BOND	
	Filing Date: 01/16/2004	Group Art Unit: 1632

FOREIGN PATENT DOCUMENTS							
		DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
6	EP 266,032	04/05/1988	Europe				
	EP 368,684	05/16/1990	Europe				
	WO 92/03461	03/05/1992	PCT				
	WO 93/11161	06/10/1993	PCT				
	WO 97/35196	09/25/1997	PCT				
	WO 98/15833	04/16/1998	PCT				
	WO 99/46284	09/16/1999	PCT				
	WO 01/44463	06/21/2001	PCT				
	WO 03/102157	06/03/2003	PCT				
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)							
6	Arbabi Ghahroudi, M. et al., "Selection and identification of single domain antibody fragments from camel heavy-chain antibodies", <i>FEBS Letter</i> , 414:521-526 (1997)						
	Arndt, K. et al., "Factors Influencing the Dimer to Monomer Transition of an Antibody Single-Chain Fv Fragment", <i>Biochemistry</i> , 37:12918-12926 (1998)						
	Barbas, C. et al., "Selection and evolution of high-affinity human anti-viral antibodies", <i>Trends Biotech</i> , 14:230-234 (1996)						
	Barbas, C. et al., "In Vitro evolution of a neutralizing human antibody to human immunodeficiency virus type 1 to enhance affinity and broaden strain cross-reactivity", <i>Proc. Natl. Acad. Sci. USA</i> , 91:3809-3813 (1994)						
	Bass, S. et al., "Hormone Phage: An Enrichment Method for Variant Proteins with Altered Binding Properties", <i>Proteins</i> , 8:309-314 (1990)						
	Bond, C. et al., "Contributions of CDR3 to V _H H Domain Stability and the Design of Monobody Scaffolds for Naïve Antibody Libraries", <i>J. Mol. Biol.</i> , 332:649-655 (2003)						
	Braunagel, M. et al., "Construction of a semisynthetic antibody library using trinucleotide oligos", <i>Nucleic Acids Research</i> , 25(22):4690-4691 (1997)						
	Carter et al., "Humanization of an anti-p185 ^{HER2} antibody for human cancer therapy", <i>Proc. Natl. Acad. Sci. USA</i> , 89:4285-4289 (1992)						

EXAMINER		DATE CONSIDERED	11/27/06
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.			


FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.136USU1	Application Number: 10/759,731
	Applicant: BOND	
	Filing Date: 01/16/2004	Group Art Unit: 1632

6	Chen, Y. et al., "Selection and Analysis of an Optimized Anti-VEGF Antibody: Crystal Structure of an Affinity-matured Fab in Complex with Antigen", <i>J. Mol. Biol.</i> , 293:865-881 (1999)
	Clackson, T. et al., "Making antibody fragments using phage display libraries", <i>Nature</i> , 352:624-628 (1991)
	Connolly, J., "Analytical Molecular Surface Calculation", <i>J. Appl. Cryst.</i> , 16:548-558 (1983)
	Cunningham, B. et al., "High-Resolution Epitope Mapping of hGH-Receptor Interactions by Alanine-Scanning Mutagenesis", <i>Science</i> , 244(4908):1081-1085 (1989)
	Davis, B. et al., <i>Microbiology Including Immunology and Molecular Genetics</i> , pp. 237, 245-47, 374 (1980)
	de Kruif, J. et al., "Selection and application of human single chain Fv antibody fragments from a semi-synthetic phage antibody display library with designed CDR3 regions", <i>J. Mol. Biol.</i> , 248:97-105 (1995)
	de Wildt, R. et al., "Antibody arrays for high-throughput screening of antibody-antigen interactions", <i>Nature Biotechnology</i> , 18:989-994 (2000)
	Decanniere, K. et al., "A single-domain antibody fragment in complex with RNase A: non-canonical loop structures and nanomolar affinity using two CDR loops", <i>Structure</i> , 7:361-370 (1999)
	Decanniere, K. et al., "Canonical antigen-binding loop structures in immunoglobulins: More structures, more canonical classes?", <i>J. Mol. Bio.</i> , 300:83-91 (2000)
	Decanniere, K. et al., "Degenerate interfaces in antigen-antibody complexes", <i>J. Mol. Bio.</i> , 313:473-478 (2001)
	Deng, S. et al., "Selection of Antibody Single-chain Variable Fragments with Improved Carbohydrate Binding by Phage Display", <i>J. Biol. Chem.</i> , 269:9533-9538 (1994)
	Desmyter, A. et al., "Antigen specificity and high affinity binding provided by one single loop of a camel single-domain antibody", <i>J. Biol. Chem.</i> , 276:26285-26290 (2001)
	Desmyter, A. et al., "Crystal structure of a camel single-domain VH antibody fragment in complex with lysozyme", <i>Nat. Struct. Biol.</i> , 3:803-811 (1996)
	Desmyter, A. et al., "Three camelid VHH domains in complex with porcine pancreatic α -amylase: Inhibition and versatility of binding topology" <i>The Journal of Biological Chemistry</i> , 277:23645-23650 (2002)
	Distenfanso, M. et al., "Quantifying β -Sheet Stability by Phage Display", <i>J. Mol. Biol.</i> , 322:179-188 (2002)
	Dubaquié, Y. et al., "Total Alanine-Scanning Mutagenesis of Insulin-like Growth Factor I (IGF-I) Identifies Differential Binding Epitopes for IGFBP-1 and IGFBP-3", <i>Biochemistry</i> , 38:6386-6396 (1999)
	Dumoulin, M. et al., "A camelid antibody fragment inhibits the formation of amyloid fibrils by human lysozyme", <i>Nature</i> , 424:783-788 (2003)

EXAMINER	DATE CONSIDERED 11/27/06
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	


FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number:	Application Number:
	11669.136USU1	10/759,731
	Applicant: BOND	
	Filing Date: 01/16/2004	Group Art Unit: 1632

6	Dumoulin, M. et al., "Single-domain antibody fragments with high conformational stability", <i>Nat. Struct. Biol.</i> , 11:500-515 (2002)
	Eigenbrot et al., "X-ray Structures of the Antigen-binding Domains from Three Variants of Humanized anti-p185 ^{HER2} Antibody 4D5 and Comparison with Molecular Modeling", <i>J. Mol. Biol.</i> , 229:969-995 (1993)
	Els Conrath, K. et al., "Camel single-domain antibodies as modular building units in bispecific and bivalent antibody constructs", <i>J. Biol. Chem.</i> , 276:7346-7350 (2001)
	Engels et al., "Gene Synthesis", <i>Angew. Chem. Int. Ed. Engl.</i> , 28:716-734 (1989)
	Ewert, S. et al., "Biophysical properties of camelid V _H domains compared to those of human V _H 3 domains", <i>Biochemistry</i> , 41:3628-3636 (2002)
	Ewert, S. et al., "Biophysical properties of human antibody variable domains", <i>J. Mol. Biol.</i> , 325:531-553 (2003)
	Ferrat, G. et al., "A peptide mimic of an antigenic loop of α -human chorionic gonadotropin hormone: solution structure and interaction with a llama V _H domain", <i>Biochem. J.</i> , 366:415-422 (2002)
	Forsberg, G. et al., "Identification of Framework Residues in a Secreted Recombinant Antibody Fragment that Control Production Level and Localization in <i>Escherichia coli</i> ", <i>J. Biol. Chem.</i> , 272:12430-12436 (1997)
	Froehler, B. et al., "Synthesis of DNA via deoxynucleoside H-phosphonate intermediates", <i>Nucl. Acids Res.</i> , 14(13):5399-5407 (1986)
	Fuh, G. et al., "Requirements for Binding and Signaling of the Kinase Domain Receptor for Vascular Endothelial Growth Factor", <i>J. Biol. Chem.</i> , 273:11197-11204 (1998)
	Garrard et al., "Selection of an anti-IGF-1 Fab from a Fab phage library created by mutagenesis of multiple CDR loops", <i>Gene</i> , 128:103-109 (1993)
	Gregoret, L. et al., "Additivity of mutant effects assessed by binomial mutagenesis", <i>Proc. Natl. Acad. Sci. USA</i> , 90:4246-4250 (1993)
	Griffiths et al., "Isolation of high affinity human antibodies directly from large synthetic repertoires", <i>The EMBO Journal</i> , 13(14):3245-3260 (1994)
	Hamers-Casterman, C. et al., "Naturally occurring antibodies devoid of light chains", <i>Nature</i> , 363:446-448 (1993)
	Harmsen, M. et al., "Llama heavy-chain V regions consist of at least four distinct subfamilies revealing novel sequence features", <i>Molecular Immunology</i> , 37:579-590 (2000)
	Hawkins, R. et al., "Selection of Phage Antibodies by Binding Affinity: Mimicking Affinity Maturation", <i>J. Mol. Biol.</i> , 226:889-896 (1992)

EXAMINER		DATE CONSIDERED	11/27/06
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.			


FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.136USU1	Application Number: 10/759,731
	Applicant: BOND	
	Filing Date: 01/16/2004	Group Art Unit: 1632

6	Hollinger, P. et al., "Diabodies: Small bivalent and bispecific antibody fragments", <i>Proc. Natl. Acad. Sci. USA</i> , 90:6444-6448 (1993)
	Honegger, A. et al., "Yet Another Numbering Scheme for Immunoglobulin Variable Domains: An Automatic Modeling and Analysis Tool", <i>J. Mol. Biol.</i> , 309:657-670 (2001)
	Hoogenboom, H., "Overview of antibody phage-display technology and its applications", <i>Methods Mol. Biol.</i> , 178: 1-37 (2002)
	Hoogenboom, "Antibody phage display technology and its applications", <i>Immunotechnology</i> , 4:1-20 (1988)
	Hoogenboom, H., "Designing and optimizing library selection strategies for generating high-affinity antibodies", <i>Trends in Biotechnology</i> , 15:62-70
	Jackson, J. et al., "In Vitro Antibody Mutation: Improvement of a High Affinity, Neutralizing Antibody Against IL-1 β ", <i>The Journal of Immunology</i> , 154:3310-3319 (1995)
	Jung, S. et al., "Selection for Improved Protein Stability by Phage Display", <i>J. Mol. Biol.</i> , 294:163-180 (1999)
	Knappik, A. et al., "Fully Synthetic Human Combinatorial Antibody Libraries (HuCAL) Based on Modular Consensus Frameworks and CDRs Randomized with Trinucleotides", <i>J. Mol. Biol.</i> , 296:57-86 (2000)
	Kostelny, S. et al., "Formation of a Bispecific Antibody by the Use of Leucine Zippers", <i>The Journal of Immunology</i> , 148(5):1547-1553 (1992)
	Kunkel, T. et al., "Rapid and Efficient Site-Specific Mutagenesis without Phenotypic Selection", <i>Methods in Enzymology</i> , 154:367-382 (1987)
	Ladner, R. et al., "Novel frameworks as a source of high-affinity ligands", <i>Curr. Opin. Biotechnol.</i> , 12:406-410 (2001)
	Lee et al., "The Interpretation of Protein Structures: Estimation of Static Accessibility", <i>J. Mol. Biol.</i> , 55:379-400 (1971)
	Lowman, H. et al., "Monovalent Phage Display: A Method for Selecting Variant Proteins from Random Libraries", <i>Methods: A Companion to Methods in Enzymology</i> , 3:205-216 (1991)
	Lowman, H. et al., "Selecting High-Affinity Binding Proteins by Monovalent Phage Display", <i>Biochemistry</i> , 30:10832-10838 (1991)
	Morrison, K. et al., "Combinatorial alanine-scanning", <i>Current Opinion in Chemical Biology</i> , 5:302-307 (2001)
	Muyldermans, S., "Single domain camel antibodies: current status", <i>Journal of Biotechnology</i> , 74(4):277-302 (2001)
	Muyldermans, S. et al., "Sequence and structure of VH domain from naturally occurring camel heavy chain immunoglobulins lacking light chains", <i>Protein Eng.</i> , 7:1129-35 (1994)

EXAMINER 	DATE CONSIDERED 11/27/06
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.136USU1	Application Number: 10/759,731
	Applicant: BOND	
	Filing Date: 01/16/2004	Group Art Unit: 1632

6	Nieba, L. et al., "Disrupting the hydrophobic patches at the antibody variable/constant domain interface: improved <i>in vivo</i> folding and physical characterization of an engineered scFv fragment", <i>Protein Engineering</i> , 10(4):435-444 (1997)
	O'Neil, K. et al., "Phage display: protein engineering by directed evolution", <i>Current Opinion in Structural Biology</i> , 5:443-449 (1995)
	Pacios, L. et al., "ARVOMOL/CONTOUR: molecular surface areas and volumes on personal computers," <i>Computers Chem.</i> , 18(4):377-386 (1994)
	Pacios, L., "Variations of Surface Areas and Volumes in Distinct Molecular Surfaces of Biomolecules", <i>Journal of Molecular Modeling</i> , 1: 46-53 (1995).
	Pack, P. et al., "Miniantibodies: Use of Amphipathic Helices to Produce Functional, Flexibly Linked Dimeric F _v Fragments with High Avidity in <i>Escherichia coli</i> ", <i>Biochemistry</i> , 31(6):1579-1584 (1992)
	Plückthun, A., "Antibodies from <i>Escherichia coli</i> ", <i>The Pharmacology of Monoclonal Antibodies</i> , Vol. 113, Rosenberg and Moore eds. Springer-Verlag, New York, pp. 269-315 (1994)
	Rader, C. et al., "Phage display of combinatorial antibody libraries", <i>Curr. Opin. Biotechnol.</i> , 8:503-508 (1997)
	Renislo, J. et al., "Solution Structure and Backbone Dynamics of an Antigen-Free Heavy Chain Variable Domain (VHH) from <i>Llama</i> ", <i>Proteins</i> , 47(4):546-555 (2002).
	Sheriff, S. et al., "Redefining the minimal antigen-binding fragment", <i>Nat. Struct. Biol.</i> , 3:733-736 (1996)
	Sidhu, S. et al., "High Copy Display of Large Proteins on Phage for Functional Selections", <i>J. Mol. Biol.</i> , 296:487-495 (2000)
	Sidhu, S. et al., "Phage Display for Selection of Novel Binding Peptides", <i>Methods in Enzymology</i> , 328:333-363 (2000)
	Sidhu, S., "Phage Display in Pharmaceutical Biotechnology", <i>Curr. Opin. Biotechnol.</i> , 11:610-616 (2000)
	Skerra, A. et al., "Assembly of a Functional Immunoglobulin F _v Fragment in <i>Escherichia coli</i> ", <i>Science</i> , 240:1038-1041 (1988)
	Skerra, A., "Engineered protein scaffolds for molecular recognition", <i>Journal of Molecular Recognition</i> , 13:167-187 (2000)
	Smith, G. et al., "Filamentous Fusion Phage: Novel Expression Vectors that Display Cloned Antigens on the Virion Surface", <i>Science</i> , 228:1315-1317 (1985)
	Spinelli, S. et al., "The crystal structure of a llama heavy chain variable domain", <i>Nature Structural Biology</i> , 3(9):752-757 (1996)

EXAMINER 	DATE CONSIDERED 11/27/06
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.136USU1	Application Number: 10/759,731
	Applicant: BOND	
	Filing Date: 01/16/2004	Group Art Unit: 1632

	Spinelli, S. et al., "Lateral recognition of a dye hapten by a llama VHH domain", <i>J. Mol. Bio.</i> , 311:123-129 (2001)
	Tanha, J. et al., "Selection by phage display of llama conventional V(H) fragments with heavy chain antibody V(H)H properties", <i>J. Imm. Meth.</i> , 263:97-109 (2002)
	Ulrich, H. et al., "Expression studies of catalytic antibodies", <i>Proc. Nat'l Acad. Sci. USA.</i> , 92:11907-11911 (1995)
	Vajdos, F. et al., "Comprehensive functional maps of the antigen-binding site of an anti-ErbB2 antibody obtained with shotgun scanning mutagenesis", <i>J. Mol. Bio.</i> , 320:415-428 (2002)
	van der Linden, R. et al., "Induction of immune responses and molecular cloning of the heavy chain antibody repertoire of Lama glama", <i>J. Imm. Meth.</i> , 240:185-195 (2000)
	Vaughan et al., "Human Antibodies with Sub-nanomolar Affinities Isolated from a Large Non-immunized Phage Display Library", <i>Nat. Biotech.</i> , 14:309-314 (1996)
	Vranken, W. et al., "Solution structure of a llama single-domain antibody with hydrophobic residues typical of the VH/VL interface", <i>Biochemistry</i> , 41:8570-8579 (2002)
	Weiss, G. et al., "Rapid mapping of protein functional epitopes by combinatorial alanine scanning", <i>Proc. Natl. Acad. Sci. USA</i> , 97(16):8950-8954 (2000)
	Wells et al., "Rapid evolution of peptide and protein binding properties <i>in vitro</i> ", <i>Curr. Opin. Struct. Biol.</i> , 3:355-362 (1992)
	Wiesmann, C. et al., "Crystal Structure at 1.7 Å Resolution of VEGF in Complex with Domain 2 of the Flt-1 Receptor", <i>Cell</i> , 91:695-704 (1997)
	Wu, T. et al., "Length distribution of CDRH3 in antibodies", <i>Proteins</i> , 16, 1-7 (1993)
	Yelton, D. et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", <i>J. Immunol.</i> , 155:1994-2004 (1995)
	Zapata, G. et al., "Engineering linear F(ab') ₂ fragments for efficient production in <i>Escherichia coli</i> and enhanced antiproliferative activity", <i>Protein Eng.</i> , 8(10):1057-1062 (1995)
	Zhu, Z. et al., "Remodeling domain interfaces to enhance heterodimer formation", <i>Protein Science</i> , 6:781-788 (1997)

23552

PATENT TRADEMARK OFFICE

EXAMINER	DATE CONSIDERED
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

Date Mailed: December 14, 2004

Sheet 1 of 1

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11569.136USU1	Application Number: 10/759,731
	Applicant: BOND	Filing Date: 01/16/2004
	Group Art Unit: 1632	

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS


	DOCUMENT.NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
G	WO 00/24884	05/04/2000	PCT				
	WO 00/77194 A1	12/21/2000	PCT				
	WO 01/90190 A2	11/29/2001	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

G		Ghahroudi, M. et al., "Selection and identification of single domain antibody fragments from camel heavy-chain antibodies," <i>FEBS Letters</i> , Vol. 414, pp. 521-526 (1997)
		Presta, L. et al., "Humanization of an Anti-Vascular Endothelial Growth Factor Monoclonal Antibody for the Therapy of Solid Tumors and Other Disorders," <i>Cancer Research</i> , Vol. 57, pp. 4593-4599 (October 15, 1997)
		Sidhu, S. et al., "Phage-displayed Antibody Libraries of Synthetic Heavy Chain Complementarity Determining Regions," <i>J. Mol. Biol.</i> , Vol. 338, pp. 299-310 (2004)
		Tanha, J. et al., "Optimal Design Features of Camelized Human Single-domain Antibody Libraries," <i>The Journal of Biological Chemistry</i> , Vol. 276, No. 27, Issue of July 6, pp. 24774-24780 (2001)

23552

PATENT TRADEMARK OFFICE

EXAMINER 	DATE CONSIDERED 11/27/06
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.136USU1	Application Number: 10/759,731
	Applicant: BOND	
	Filing Date: 01/16/2004	Group Art Unit: 1632

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
G	5,565,332	10/15/1996	Hoogenboom et al.			
	5,780,279	07/14/1998	Matthews et al.			
	5,962,255	10/05/1999	Griffiths et al.			
	6,040,136	03/21/2000	Garrard et al.			
	6,057,098	05/02/2000	Buechler et al.			
	6,096,551	08/01/2000	Barbas et al.			
	6,140,471	10/31/2000	Johnson et al.			

FOREIGN PATENT DOCUMENTS


		DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
G	WO 92/01047	01/23/1992	PCT				
	WO 92/20791	11/26/1992	PCT				
	WO 93/11236	06/10/1993	PCT				
	WO 99/06587	02/11/1999	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

G	Dall'Acqua, W. et al., "Antibody Engineering", <i>Current Opinion in Structural Biology</i> , 8:443-450 (1998)
	de Kruif, J. et al., "Leucine Zipper Dimerized Bivalent and Bispecific scFv Antibodies from a Semi-synthetic Antibody Phage Display Library", <i>The Journal of Biological Chemistry</i> , 271(13):7630-7634 (1996)
	Glockshuber, R. et al., "A Comparison of Strategies to Stabilize Immunoglobulin F _v -Fragments", <i>Biochemistry</i> , 29:1362-1367 (1990)
	Hoogenboom, H. et al., "By-passing Immunisation: Human Antibodies from Synthetic Repertoires of Germline V _H Gene Segments Rearranged <i>in Vitro</i> ", <i>J. Mol. Biol.</i> , 227:381-388 (1992)

23552

PATENT TRADEMARK OFFICE

EXAMINER 	DATE CONSIDERED 11/27/06
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

Date Mailed: July 11, 2005


Sheet 1 of 1

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.136USU1	Application Number: 10759,731
	Applicant: BOND	
	Filing Date: 01/16/2004	Group Art Unit: 1632

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
G	6,696,245 B2	02/24/2004	WINTER ET AL.			
G	6,846,634 B1	01/25/2005	TOMLINSON ET AL.			
FOREIGN PATENT DOCUMENTS						
		DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)						


23552

PATENT TRADEMARK OFFICE

EXAMINER 	DATE CONSIDERED 11/27/06
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

*Substitute Disclosure Statement Form (PTO-1449)

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE


INFORMATION DISCLOSURE STATEMENT
IN AN APPLICATION

(Use several sheets if necessary)

Docket Number:

11669.136USUI

Application Number:

10/759,731

Applicant: BOND

Filing Date: 01/16/2004

Group Art Unit: 1632

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
<i>Ce</i>	0 628 639 A1	12/14/1994	EP				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

		Copy of Supplementary Partial European Search Report dated July 4, 2005

23552

PATENT TRADEMARK OFFICE

EXAMINER	<i>[Signature]</i>	DATE CONSIDERED	<i>11/27/06</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.			